

Anti-Reflection Coating Sapphire Convex Lens 10.0mm dia. x 3.0mm thk

sapphire-windows-sapphire-lens

sapphire lens

Specifications of Sapphire Convex Lens SL10-3PX

Code: SL10-3PX

Material: Optical grade single Sapphire crystal

Diameter: 10.0mm

Thickness: 3.0mm

Tolerance: ± 0.1 mm

Surface Quality S/D: 60/40

Focal Length Tolerance: $\pm 5\%$ @ 633nm

Centration: 2'

Clear Aperture: $>90\%$

AR Coating: $T > 90\%$ @ 650~1200nm

sapphire-windows-sapphire-lens

Sapphire Lenses Features and Applications:

1. With excellent transmission bandwidths between the UV and IR at 0.15-5.5 μ m.
2. Extremely hard and resistant to attack by strong acid.
3. Highly resistant to scratching and abrasion (9 on the Mohs scale of mineral hardness scale).
4. Extremely high melting temperature (2030°C).
5. Suitable for the application of extreme conditions, such as high-pressure, vacuum and corrosive atmosphere.

sapphire-windows-sapphire-lens

Custom Specifications of Sapphire Lenses:

Diameters: 2.0 mm to 200mm

Radius of Curvature : Concave, Convex, Meniscus

Surfaces Quality: 40/20, 20/10

Edges: Fine Ground

Tolerance: +/- 0.1mm

Centration: 3 Arc min

Clear Aperture : > 90%